

Date of issue: 21 September 2018

Valid until end: December 2019

## **EL Class I**

EHEDG hereby declares that the product

DynaShear inline mixer, models DS-425, DS-575 with FKM cover gasket, PTFE rotor gaskets, and HNBR Lip-o-Rings(R) in SiC-SiC/TC-C mechanical seal by Huhnseal AB

from

Admix, Inc., 144 Harvey Road, 03053 Londonderry, NH, United States

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

## Certificate No. EHEDG-C1800042

Signed \_

President EHEDG

Signed

\_\_\_\_\_ EHEDG Certification Officer

Mirjam Steenaard

Ludvig Joesefsberg

EHEDG Secretariat Lyoner Straße 18 60528 Frankfurt am Main Germany



©EHEDG

Appendix 3

## **EHEDG Certification – Equipment Evaluation Form**

Date: 16/7/18 EHEDG File Number: EHEDG-C1800042 Certification Type: EL Class I

Applicant: Admix, Inc.

Equipment: Dynashear, inline mixer

Type or model No/s.: DS-425, DS-575

Other essential identification: FKM cover gasket, PTFE rotor gaskets, and HNBR Lip-o-Rings(R) in SiC-SiC/TC-C mechanical seal by Huhnseal AB.

Evaluated by: Mark Morgan

Approved by: Jacques Kastelein

	Title: [AEO / Vice-/Chairman of the WG Certification] AEO Date, Signature: <u>77/7/10</u>			
1.	Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion:	YES		
	The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	MAYBE		
2.	Evidence for compliance provided and convincing for Certification. Conclusion:			
	The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES		

Signature:

Mark Morgan



Date: 16/7/18

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

## Appendix 3

+

No.	Description
1.	EHEDG Certificate of Conformance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning with liquids
4.	Appendix 2: Conditions for use of the EHEDG Certification logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report (UTE-070118) of the design: Dynashear, models DS-425 and DS-575 with FKM cover gasket, PTFE rotor gaskets, and
	HNBR Lip-o-Ring(R) in SiC-SiC/TC-C mechanical seal by Huhnseal AB.
7.	Drawings of the Dynashear, DS-425 and DS-575. Drawing Nos:

	27/2/0
	Dependent of History District Start Dependent of History District Starter D
9.	Example of the EHEDG Certified Logo Type EL Class I
8.	Test report of the in-place cleanability test method, No. UTR-061518
	DS-425 HS EHEDG, DS2001-EH-RW, DS2002-EH, DS2015, DS2003-EH-RW, DS2004-EH, 16278-90; DS-575 HS EHEDG, DS5001-EH-RW, DS5002-EH, DS5003-EH-RW, DS5004-EH, 18579-90, stamped and signed originals.

· 2